Notice dated 1st December 1920.

Notice is hereby given that sealed tenders will be received by the undersigned at the Mysore Game Preserves and State Shikari's Office, Prince of Wales Road, Mysore, up to the 3rd January 1921, noon, for supply of eighteen (18) Teakwood Machans for tiger-shooting, as per design which may be seen at the above office on or about the 15th December 1920.

2. Tenders should be submitted with the rates quoted therein, and superscribed "Tender for the supply of Tiger-shooting Machans".

3. Tenders should be accompanied with an earnest money of Rs. 100 in currency notes, which will be returned to the successful competitor on the satisfactory fulfilment of the contract and in the case of others as soon as the tenders are disposed of.

4. The machans should be delivered and fixed at the undermentioned tiger preserves not later than the 20th February 1921. The tenders shall include the cost of delivery and fixing of the machans on posts, 17 feet long (12 feet above ground and 5 feet under):—

(i)	Paduakote Tiger Preserve	...	Heggaddevankote Taluk.
(ii)	Belaganahalli do	...	
(iii)	Nagarhole do	...	
(iv)	Sunkadakatte do	...	
(v)	Anekere do	...	
(vi)	Honnurkuppe do	...	
(vii)	Maddur-Hebballa do	...	Gundlupet Taluk.
(viii)	Thavarekere do	...	
(ix)	Karadihalla do	...	Chamrajnagar Taluk.

N. B.—Two machans are to be fixed in each of the above Tiger Preserves.

5. The final acceptance of the tenders rests with the Conservator of Forests in Mysore who does not bind himself to accept the lowest or any tender or to assign reasons for rejecting any tender.

6. The name of the successful competitor whose tender is accepted will be posted on the notice board of the Mysore Game Preserves and State Shikari's Office, Prince of Wales Road, Mysore.

7. Within a week of the acceptance of the tender, the successful compititor will execute the usual contract bond, failing which, his tender will be cancelled and the earnest money forfeited.

8. Any further information required may be had from the undersigned.

Memorandum dated 6th December 1920.

It is hereby informed that in pursuance of Government Order No. R. 9380-9—Ft. 131-19-2, dated the 15th February 1920, the Mysore Game Preserves and State Shikari's Office will be shifted and opened at the Prince of Wales Road, Mysore, from the 10th December 1920.

K. MUTHAIYA,
Officer in charge of Game Preserves and State Shikari's Office.

ENGINEERING DEPARTMENT.

WATER-SUPPLY DIVISION.

Dated 20th November 1920.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Water-Supply Division, up to 27th December 1920, for Mangalore Roofing Tiles, etc. An approximate estimate of quantities is given below. The work should be completed by the end of January 1921.

2. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed:—

Description of work	Unit of work	Rate per unit
Mangalore Roofing tiles ...	21,000	per 1,000
Do Flooring tiles 9″×9″.	4,000 sqrs.	per square
Do Ridge tiles ...	600	per 100
Do Ventilator tiles ...	50	per each
Cuddappa slabs ...	3,100 sqrs.	per square

3. Each tender must be accompanied by a deposit of rupees one hundred and fifty in cash or Government Currency Notes, as earnest money, and be superscribed "Tender for the supply of Mangalore Roofing Tiles, etc;" in default of which, tenders will be rejected.

4. The final acceptance of any tender will rest with the Superintending Engineer, Sanitary Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

5. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

6. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

7. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

8. The rates tendered should be for delivery F. O. R. Hole-Narsipur Railway Station.

G. V. RAO,
Executive Engineer.

KOLAR DIVISION.

Dated 29th November 1920.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 31st December 1920, for restoring Thandramakalhalli Tank. Registered No. 61 of Chikballapur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1921.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. and 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees two hundred only (Rs. 200) in cash, or Government Promissory Notes, as earnest money, and be superscribed" Tender for Restoring Thandramalhalli Tank" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Approximate quantities for restoring Thandramakalahalli Tank, Registered No. 61 of Chikballapur Taluk.

No.	Bund	Per	Quantity
1	Earthwork with consolidation	Cyd.	7,543
2	Cutting trenches to receive new earth	Lump sum	
3	Excavation for revetment and using the earth to bund ...	Cyd.	214
4	Turfing	S. yd.	5,643
5	Grade stones with bed slab-stones including chiselling, painting, etc., complete.	No.	22
6	Do index stones	,,	22
7	Registered number stone	,,	1
8	B. M. stone	,,	2
9	Date stone	,,	1
10	Gauge stone	,,	1
11	Old stone work	Cyd.	133
12	New stone work	,,	1,574

Item No.	Items of work	Unit	Quantity
	Sluice No. 1.		
1	Earthwork cutting bund and refilling the same with consolidation	Cyd.	68
2	Concrete surki mortar	Cft.	186
3	Burnt brick in surki mortar	,,	421
4	Burnt stone slabs dressed	Sft.	139
5	Cutting to orifice slabs	Lump sum	
6	Surki plastering	Sq.	3·32
7	Putting plug and rods, etc., complete...	Lump sum	
	Sluice No. 2.		
	As per sluice No. 1 above		
	Constructing waste weir 125 feet long.		
1	Earthwork excavation and using the same to bund with consolidation	Cyd.	503
2	Concrete in surki mortar	Cft.	529
3	Burnt brick in surki mortar	Cft.	1,481
4	Burnt stone slabs dressed	Sft.	598
5	Surki plastering	Sq.	7
6	New stone work	Cyd.	337
7	Jaggles	No.	24

A. PUTTUSAMAIYA,
Executive Engineer.

CHITALDRUG DIVISION.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Chitaldrug Division, up to 5th January 1921, for extending and improving the P. W. D. Sub-Division Office at Davangere. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1921.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Chitaldrug between the hours of 11 A.M. and 5 P.M. on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for extending and improving the P. W. D. Sub-Division Office at Davangere," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract of quantities for extending and improving the P. W. D. Sub-Division Office at Davangere.

No.	Items of work	Unit	Quantity
1	Removing and stocking the existing country pot and flat tiles including reapers, etc., complete.	100 s. ft.	6·85
2	Dismantling the masonry work	100 c. ft.	3·21
3	Earthwork excavating foundation and filling in basement ...	100 c. ft.	4·37
4	Trapstone in mud	Do	4·37
5	Burnt brick in mortar	Do	16·39
6	Burnt stone slabs 6" thick, dressed	100 s. ft.	1 48
7	Removing the old burnt stone slab and refixing	Do	0·53
8	Removing and resetting windows	each.	5
9	Do do doors	each	2
10	Removing a window	each	1
11	Removing and refixing the old wood work	c. ft.	35·55
12	Honne or nandi wood work wrought and put up	c. ft.	65·43
13	Chunam plastering	100 s. ft.	22·79
14	White and colourwashing, 2 coats	Do	26·79
15	Roofing with 1st class Mangalore tiles over teak reapers including chunam borders, etc., complete.	100 s. ft.	14·80
16	Ridge tiles set in mortar	R. ft. 100	0·46
17	Teakwood ornamental eave board 9" deep	Do	1·58
18	Removing old burnt stone slab flooring	100 s. ft.	0·83
19	Resetting the above over 3" sand bed including cement pointing, etc., complete.	100 s. ft.	0·65
20	Flooring with Cuddappa slabs over 3" concrete bed including cement pointing, etc., complete.	100 s. ft.	1·93
21	Flooring with 1st class 9" sqr. Mangalore tiles over 3" concrete bed with cement pointing.	Do.	1·20
22	Wood oiling 2 coats	100 s. ft.	11·92
23	Chocolate painting	Do	5·81
24	Dwarf wall 9"x9" over roofing including chunam plastering ...	100 C. ft.	0·56
25	Tarring wood work	L. s.	Rs.
26	Cleaning ground and levelling the site	L. s.	Rs.
27	Burnt stone slab pillars dressed including cutting groves, etc., complete.	100 s. ft.	0·33

Y. ASVATHANARAYANA RAO,
Executive Engineer.

SANITARY DIVISION.

Notice dated 6th December 1920.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Sanitary Division, up to 20th December 1920, for improving the water-supply to Chikmagalur Town, Part A. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of October 1921.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore during office hours.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for improving the water-supply to Chikmagalur Town, Part A ; in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond : in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Improving water-supply to Chikamgalur Town, Part A.

Serial No.	Items of work	Per	Total quantity
	(i) Constructing Filter Beds.		
1	Earthwork excavation in hard soil including lead up to 100′ and maximum lift of 14″	C. yd.	3,077
2	Concrete in surki mortar	C. ft.	9,157
3	Burnt brick in surki mortar	,,	18,352
4	Burnt stone slabs, 6″ thick dressed and set in mortar	S. ft.	969
5	Cornice, 6″ high	R. ft.	86
6	Cement plastering, ½″ thick	Sqr.	103·84
7	Chunam plastering	,,	38·20
8	Colourwashing including two coats of whitewash	,,	38·20
9	Cutting holes in stone slabs, 6″ in diameter	each	4
10	Burnt brick dry covering over drains, bricks to be 9″ by 4¼″ by 2½″	C. ft.	169
11	Fine washed sharp sand	C. yd.	327
12	Coarse do do	,,	131
13	Clean gravel ¾″ to ⅜″ gauge	,,	65
14	Clean broken jelly, 2″ to 1″ gauge	,,	131
15	Clearing site and levelling ground	S. ft.	
	(ii) Constructing Service Reservoir.		
1	Earthwork excavation in hard soil including lead up to 100′ and maximum lift of 10′	C. yd.	1,614
2	Concrete in surki mortar	C. ft.	6,758
3	Terracing with small jelly concrete	,,	784
4	Cornice 6″ high	R. ft.	224
5	Burnt brick in surki mortar	C. ft.	16,893
6	Burnt stone slabs, 9″ thick dressed and set in mortar for capitals	S. ft.	126
7	Burnt stone slabs, 6″ thick dressed and set in mortar	,,	693
8	Burnt stone slabs 4½″ thick do do	,,	2,809
9	Armoured cement concrete girders (9″ by 12″) including plastering	C. ft.	210
10	Teakwood ventilators with perforated zinc sheets including frame	S. ft.	63
11	Cutting hole, 18″ diameter in stone slab including fixing manhole cover and frame	each	1
12	Cement plastering ½″ thick	Sqr.	67·79
13	Chunam plastering	,,	64·51
14	Colourwashing including two coats of whitewashing	,,	64·51
15	Pointing ceiling of the tank with cement	,,	25·00
16	Clearing site and levelling ground	S. ft.	

P. GOPALA IYENGAR, For *Executive Engineer.*

SAGAR FOREST DIVISION.

Notification, dated the 9th December 1920.

It is hereby notified for the information of the public that the Timber sales of the Chordi and Sagar Depots fixed for the 22nd and 24th December 1920, respectively, as per notification dated the 8th November 1920, published at pages 732 and 733, Part VI, of the *Mysore Gazette* dated 25th November 1920, are hereby cancelled.

M. A. VARADACHAR,
District Forest Officer.

MISCELLANEOUS.

MYSORE GOVERNMENT STATIONERY DEPOT.

TENDERS FOR THE SUPPLY OF WRITING, PRINTING AND OTHER PAPERS.

Notice dated 1st December 1920.

Sealed tenders for the supply of writing, printing and other papers, required for the Government of Mysore during the official year 1921-22 (commencing from 1st July 1921),